

2770 – 24 Avenue N.E.  
Calgary, Alberta, T1Y 6V7

Tel.: (403) 250-2494  
Fax.: (403) 250-8767

## TABEX<sup>®</sup>

### Material Safety Data Sheet

#### Section I - Identification

#### SPA SECURE

**MANUFACTURER / SUPPLIER:**

CL MARKETING INC.

2770 – 24 Avenue N.E.,

Calgary, Alberta, T1Y 6V7

Phone: (403) 250-2494

Toll Free Order Line: 1-800-661-8179

EMERGENCY PHONE (CANUTEC): 613 - 996 - 6666

**Chemical Name:** Mixture of organic and inorganic ingredients in water.

**Product Use:** Sequestrating agent for spas.

<u>Hazard Rating</u>	<u>Designation</u>	
4 Extreme	Health	2
3 High	Fire	0
2 Moderate	Reactivity	1
1 Slight	Personal Protection	C
0 None		

#### Section II - Hazardous Ingredients

<u>Material</u>	<u>% By Weight</u>	<u>CAS Nr</u>	<u>Exposure Limits</u>	<u>LD<sub>50</sub> (Oral-Rat)</u>
GLYCINE, N-(2-BIS (CARBOX)	35 - 45	139-89-9	Not available	Not available
SODIUM HYDROXIDE	1 - 3	1310-73-2	Not available	Not available
GLYCINE, N- N-BIS (CARBOXYM)	1 - 2	5064-31-3	Not available	Not available
CITRIC ACID	2 - 4	77-92-9	Not available	11700 mg/Kg

**Section III - Physical Data**

Appearance	Clear pale-yellow liquid.
Boiling Point	> 100 <sup>0</sup> C
Freezing Point	< 0 <sup>0</sup> C
Odor	Odorless
pH (10%)	7.5 – 8.5
Specific Gravity ( Water = 1)	1.135 – 1.145
Vapor Density ( Air = 1)	N/A
Vapor Pressure (mm Hg)	N/A
Evaporation Rate	N/A
Water Solubility	Very Soluble
% Volatile	N/A
Coefficient water/oil distribution	N/A
Odor Threshold	N/A

**Section IV - Fire And Explosion Data**

Flash Point (°C , Test Method):	None
Auto-Ignition Temperature:	None
Flammable Limits In Air: ( g/l ):	LFL: None UFL: None
Extinguishing Media:	Dry Chemical (Sodium Bicarbonate), Foam, CO <sub>2</sub> , Water
Special Fire Fighting Procedure:	Fight fires from a safe distance.
Personal Protective Equipment:	Wear self-contained breathing apparatus (pressure-demand MSHA/NIOSH approved or equivalent) and full protective gear.
Conditions of flammability:	N/A
Hazardous combustion products:	Ammonia
Explosion Data:	N/A
Sensitivity Impact:	N/A
Sensitivity to static discharge:	N/A
Mechanical Impact:	N/A

**Section V - Health Hazard Information Of Product**

**Routes of Exposure and Acute Effects.**

<b>Inhalation:</b>	May cause irritations.
<b>Skin Contact:</b>	May cause irritations.
<b>Skin Absorption:</b>	May cause irritations.
<b>Eye Contact:</b>	May cause burning. Corrosive to eyes.
<b>Ingestion:</b>	May cause gastrointestinal irritation. See a physician immediately.

**Chronic Exposure.**

<b>Irritancy of product:</b>	May cause primary irritant dermatitis.
<b>Sensitizing Capacity:</b>	N/A
<b>Mutagenic effect:</b>	N/A
<b>Teratogenic effect:</b>	N/A
<b>Carcinogenic effect:</b>	N/A
<b>Reproductive toxicity:</b>	N/A
<b>Synergistic products:</b>	N/A

**Emergency and First Aid Procedure.**

<b>Eyes:</b>	In case of contact, immediately flush eyes of plenty of water for at least 15 minutes. Call a physician immediately.
<b>Skin:</b>	In case of contact, remove contaminated clothing and flush skin thoroughly with soap and water. Wash clothing before reusing.
<b>Inhalation:</b>	If inhaled, remove to area of fresh air. If irritation persists, call a physician.
<b>Ingestion:</b>	If swallowed do not induce vomiting. Call a physician immediately.

**Section VI - Reactivity Data**

<b>Conditions Contributing to Instability:</b>	This product is stable under normal conditions.
<b>Incompatibility:</b>	Especially avoid contact with strong oxidizers, aluminum and magnesium.
<b>Decomposition Products:</b>	Ammonia, Nitrogen oxides
<b>Reactivity:</b>	In contact with strong oxidizers, aluminum and magnesium.

**Section VII - Spill Or Leak Procedures****Steps To Be Taken If Material Is Released Or Spilled**

Cleanup personnel must wear proper protective equipment.  
That is rubber gloves, face shield, safety goggles, safety shoes and protective clothing.  
Keep out of sewers and water supplies.  
Small leaks: Absorb with an inert absorbent. Sweep up and place in an appropriate closed container.  
Large leaks: Evacuate area. Reclaim material into closed containers for possible normal use or disposal.  
Clean up residual material by washing area with water

**Waste Disposal Method.**

Dispose according to Local, Provincial and Federal by-laws.

**Section VIII - Special Protection Information.****Ventilation requirements**

Local ventilation.

**TABEX®****PRODUCT: SPA SECURE****Specific Personal Protective Information.**

**Skin Protection:** Chemical resistant rubber gloves  
**Eye Protection:** Chemical splash goggles  
**Respiratory protection:** Dust/mist filters.  
**Other:** Eye wash station and safety shower in area.  
 Do not wear contact lens when working with this compound.

**Section IX - Special Precaution.****Precaution To Be Taken In Handling.**

Avoid inhalation of vapors.  
 Avoid eye or skin contact. Do not take internally. Wash clothing before reuse.  
 Practice good personal hygiene.

**Proper Storage, Handling and Disposal Requirements.**

Store in tightly closed containers in a cool, dry, well-ventilated area.  
 Keep away from incompatible materials (oxidizing agents, aluminum, magnesium).  
**NO SMOKING** in areas of storage, handling or use.

**Section X - Transport And Regulatory Information.**

<b>TDG DESIGNATION:</b>	<b>Corrosive liquid, basic, organic, N.O.S. (Trisodium HEDTA)</b>
<b>UN NUMBER:</b>	<b>3267</b>
<b>TDG CLASSIFICATION:</b>	<b>8</b>
<b>WHMIS CLASSIFICATION:</b>	<b>D-2A, D-2B</b>
<b>PACKING GROUP</b>	<b>III</b>

**Material Safety Data Sheet:**

**Prepared By:** R. Ioanin  
**Verified By:** G. Radu

**Date Issued: 16/03/2009**

*The information herein is given in good faith but no warranty, expressed or implied is made. The persons receiving this information are urged to make their own determination as to the information's suitability and completeness for their particular application.*